

# Journal of Magnetic Resonance

---

EDITOR: Wallace S. Brey, Jr.

EDITORIAL BOARD:

Jay M. Anderson	Richard Ernst	George C. Levy
E. Raymond Andrew	Ray Freeman	Ralph Livingston
F. A. L. Anet	David M. Grant	H. M. McConnell
Edwin D. Becker	R. K. Harris	Rex E. Richards
H. J. Bernstein	K. H. Hausser	Max T. Rogers
A. David Buckingham	Paul S. Hubbard	Thomas A. Scott
S. M. Castellano	Charles S. Johnson, Jr.	Bernard L. Shapiro
P. Diehl	Masaji Kubo	J. B. Stothers

Volume 19, 1975



**ACADEMIC PRESS**  
**New York and London**

A Subsidiary of Harcourt Brace Jovanovich, Publishers

Copyright © 1975 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

*Made in Great Britain*

# CONTENTS OF VOLUME 19

NUMBER 1, JULY 1975

A. RAMAKANTH AND S. K. SINKA. Acoustic NMR in Spin 3/2 Systems in Cubic Crystals . . . . .	1
J. F. RODRIGUES DE MIRANDA AND C. W. HILBERS. Nonexponential Relaxation of the Methyl Protons of Acetrizoate in Solution . . . . .	11
ALEXANDER J. VEGA AND DANIEL FIAT. Relaxation Theory and the Stochastic Liouville Equation . . . . .	21
L. J. M. VAN DE VEN AND J. W. DE HAAN. $^1\text{H}$ and $^{13}\text{C}$ NMR Spectral Data for Spiro [2.4]heptadiene-4,6 and Spiro [4.4]nonadiene-1,3 . . . . .	31
P. MEAKIN AND J. P. JESSON. The Computer Calculation of Relaxation Matrices and NMR Line Shapes . . . . .	37
G. M. ZHIDOMIROV AND A. S. KABANKIN. Structure of Complexes of Radicals with Organic Ligands 2. CNDO Calculations of $g$ -Tensors . . . . .	47
J. C. MACDONALD AND M. MAZUREK. Carbon-13 Spectra: Selection of Radio-frequency Amplitude for Off-Resonance, Continuous-Wave Proton Spin Decoupling . . . . .	51
M. GUERON. Nuclear Relaxation in Macromolecules by Paramagnetic Ions: A Novel Mechanism . . . . .	58
P. DIEHL, S. SÝKORA, AND J. VOGT. Automatic Analysis of NMR Spectra: An Alternative Approach. . . . .	67
A. PETERLIN. ESR Investigation of Chain Rupture in Mechanically Strained Crystalline Polymer Solids . . . . .	83
THOMAS R. KRUGH AND WILLIAM C. SCHAEFER. Proton Fourier Transform NMR Spectroscopy in $\text{H}_2\text{O}$ Solutions on a JEOL PFT-100. The WEFT, SWEFT, and VASE Pulse Sequences. . . . .	99

## COMMUNICATIONS

SUZANNE COMBRISSE AND THIERRY PRANGE. The Use of the Furfural Conformational Equilibrium as a Precise Temperature Probe in $^{13}\text{C}$ NMR . . . . .	108
K. WÜTHRICH, J. HOCHMANN, R. M. KELLER, G. WAGNER, M. BRUNORI, AND G. GIACOMETTI. $^1\text{H}$ NMR Relaxation in High Spin Ferrous Hemoproteins . . . . .	111
A. G. REDFIELD, SARA D. KUNS, AND E. K. RALPH. Dynamic Range in Fourier Transform Proton Magnetic Resonance . . . . .	114



## BOOK REVIEWS

"Advances in Nuclear Quadruple Resonance, Volume 1." Edited by J. A. S. Smith . . . . .	118
"Electron Spin Resonance, Volume 2." R. O. C. Norman . . . . .	118
"Spectroscopic Properties of Inorganic and Organometallic Compounds, Volume 7." N. N. Greenwood . . . . .	119
ANNOUNCEMENTS AND NEW ITEMS . . . . .	120

## NUMBER 2, AUGUST

V. F. BYSTROV, YU. D. GAVRILOV, AND V. N. SOLKAN. Sterechemical Dependence of the Vicinal $^{13}\text{C}'\text{--}\text{NC}\alpha\text{--}^1\text{H}$ and $^1\text{H}\text{--}\text{C}\alpha\text{C}'\text{--}^{15}\text{N}$ Proton-Heteroatom Coupling Constants in the NMR Spectra of Peptides. Comparison of Experimental and Theoretical Data . . . . .	123
CAROLYN MOTTLEY, KICHOON CHANG, AND LOWELL KISPERT. Exploitation of Molecular Motion in the Analysis of Complex ESR Spectra by ELDOR Spectroscopy . . . . .	130
R. KIMMICH AND A. PETERS. Defect Diffusion in Crystalline Lipid Lamellae and Nuclear Magnetic Relaxation Behavior. . . . .	144
ROBERTA M. C. MATTHEWS AND CHARLES G. WADE. Spin-Lattice Relaxation in an Homologous Series of $\text{C}_{18}$ Esters of Cholesterol. . . . .	166
JOHN B. GRUTZNER AND R. E. SANTINI. Coherent Broad-Band Decoupling—An Alternative to Proton Noise Decoupling in Carbon-13 Nuclear Magnetic Resonance Spectroscopy . . . . .	173
J. VIRLET AND P. RIGNY. $^{19}\text{F}$ Nuclear Magnetic Resonance and Relaxation Study of Hexafluoride Solid Solutions $(\text{UF}_6)_x(\text{MoF}_6)_{(1-x)}$ and Molecular Motion Rates near the Phase Transitions in Molecular Crystals . . . . .	188
THOMAS K. LEIPERT, JOSEPH H. NOGGLE, WALTER J. FREEMAN, AND DAVID L. DALRYMPLE. Rotating Frame Nuclear Relaxation of $\text{PBr}_3$ : Off-Resonance Studies by Fourier Transform NMR . . . . .	208
M. PUNKKINEN. Zeeman Spin-Lattice Relaxation of Weakly Hindered Proton Tetrahedra . . . . .	222
Z. M. EL SAFFAR. The Determination of the Quadrupole Coupling Tensor Using Nuclear Magnetic Resonance . . . . .	233
J. MARSHALL AND G. KOKOSZKA. EPR of $\alpha\text{-MnCl}_2\cdot 4\text{H}_2\text{O}$ . . . . .	240

## COMMUNICATIONS

RICHARD P. BOWEN, STEPHEN F. LINCOLN, AND EVAN H. WILLIAMS. The Novel Temperature Dependence of the Proton Magnetic Resonance Spectrum of the Dioxouranium (VI)—N,N-Dimethylformamide System . . . . .	243
NICOLAS PAPP AND K. P. LEE. Adsorption of Hydrogen Atoms on Glass . . . . .	245
A. G. REDFIELD AND SARA D. KUNZ. Quadrature Fourier NMR Detection: Simple Multiplex for Dual Detection, and Discussion . . . . .	250
GEOFFREY E. HAWKES, WILLIAM M. LITCHMAN, AND EDWARD W. RANDALL. New Ways of Nulling $^{15}\text{N}$ Resonances by the Nuclear Overhauser Effect: Gramicidin S . . . . .	255
GEORGE C. LEVY, ULF EDLUND, AND JOHN G. HEXEM. A Comparison Between Two "Inert" Paramagnetic Relaxation Reagents . . . . .	254

## BOOK REVIEWS

"NMR of Paramagnetic Molecules: Principles and Applications." Edited by G. N. La Mar, W. Dew. Horrocks, Jr., and R. H. Holm . . . . .	263
"Topics in Carbon-13 NMR Spectroscopy." Edited by George C. Levy . . . . .	263

ERRATA . . . . .	265
------------------	-----

## NUMBER 3, SEPTEMBER 1975

D. R. WOODHOUSE, W. DERBYSHIRE AND P. LILLFORD. Proton Magnetic Resonance in Aqueous Solutions of Poly-L-Lysine Hydrobromide . . . . .	267
MARIE BORZO AND GARY E. MACIEL. $^{199}\text{Hg}$ Chemical of Organomercury Compounds by Fourier Transform NMR . . . . .	279
J. A. VAN WYK. An EPR Study of Single Crystals of Three Dinuclear Sulfur-Bridged Derivatives of Iron . . . . .	283
ROBERT A. ROUSE AND M. THOMAS JONES. Modification of Stone's Theory of g-Factors for Aromatic Hydrocarbon Free Radicals to Include Quadratic Terms . . . . .	294
JOHN R. SHOCK AND MAX T. ROGERS. An ESR Study of Hole Species in $\gamma$ -Irradiated $\text{K}_2\text{NbOF}_5 \cdot \text{H}_2\text{O}$ . . . . .	303
ROLAND AASA AND TORE VÄNNGÅRD. EPR Signal Intensity and Powder Shapes: A Reexamination . . . . .	308
DAVID W. LARSEN AND NORMAN R. WINDSOR. A 100-Channel Signal Averager for Pulsed NMR . . . . .	316



M. A. SENS, NANCY K. WILSON, PAUL D. ELLIS, AND JEROME D. ODOM. Mercury-199 Fourier Transform Nuclear Magnetic Resonance Spectroscopy . . . . .	323
V. LUPEI, A. LUPEI, AND F. DOMSA. Angular Variation of the Forbidden Hyperfine Transitions in the ESR of $Mn^{2+}$ in $NH_4Cl$ . . . . .	337
T. BUNDGAARD, H. J. JAKOBSEN, AND E. J. RAHKAMAA. A High-Resolution Investigation of Proton Coupled and Decoupled $^{13}C$ FT NMR Spectra of $^{15}N$ -Pyrrole . . . . .	345
S. KASTHURIRENGAN AND S. SOUNDARARAJAN. Electron Paramagnetic Resonance Study of Vanadyl Ion in $K_2Zn(SO_4)_2 \cdot 6H_2O$ and $K_2Mg(SO_4)_2 \cdot 6H_2O$ . . . . .	357
R. R. VOLD AND R. L. VOLD. $^{95}Mo$ and $^{97}Mo$ Magnetic Resonance in Aqueous Molybdate Solutions . . . . .	365
JOSEPH GRANOT AND DANIEL FIAT. Proton Magnetic Resonance Study of the Dysprosium (III) Aqueous Complex . . . . .	372
ROGER E. CRAMER, CHARLES K. FURUIKE, AND RONALD DUBOIS. Comments on the Sensitivity of Lanthanide-Induced Shifts to the Metal Substrate Distance . . . . .	382
CYNTHIA J. JAMESON, A. KEITH JAMESON, AND SHEILA M. COHEN. Absolute Temperature Dependence of Chemical Shielding of Some Reference Nuclei . . . . .	385
COMMUNICATION;	
J. F. HINTON AND R. W. BRIGGS. Thallium-205 NMR Spectroscopy. I. $^{205}Tl^{+1}$ Chemical Shifts—A Sensitive Probe for Preferential Solvation and Solution Structure . . . . .	393
B. ASHWORTH, B. C. GILBERT, P. SMITH, R. D. STEVENS, AND R. A. KABA. Magnetic Non-equivalence in Radicals from Acrylic Derivatives . . . . .	398
MILTON T. W. HEARN. $^{13}C$ Fourier-Transform NMR Study of 1-Phenylhexa-2,4-dien-1-one and Related Compounds . . . . .	401
P. DIEHL, M. REINHOLD AND A. S. TRACEY. The Determination of Deuterium Quadrupole Coupling Constants by High Resolution Deuterium Magnetic Resonance . . . . .	405
AUTHOR INDEX for Volume 19 . . . . .	409
Subject Index for Volume 19 will appear in the December 1975 issue as part of a cumulative index for the year 1975.	

## Information for Authors

The *Journal of Magnetic Resonance* includes original papers, both full articles and communications, dealing with the theory, techniques, methods of spectral analysis and interpretation, spectral correlations, and results of magnetic resonance spectroscopy and related fields. Submission of a manuscript to the *Journal* implies that none of the content has been published or is under consideration for publication elsewhere, except as specifically indicated by the author. The Editor seeks the assistance of expert referees in the evaluation of manuscripts of articles, but he alone is responsible for the final decision concerning acceptance.

Communications are preliminary accounts of work of special importance or contain discussion of controversial subjects. Communications must be especially carefully and concisely prepared; since they may not be refereed, it is the responsibility of the author to ensure that the manuscript as originally submitted is free of typographical or substantive errors. To save time in publication, proofs of communications are not sent to the authors for correction.

Fifty reprints of each paper are supplied without charge, and additional reprints may be ordered on a form which is sent to the author. For articles, the reprint order form accompanies the galley proofs which the author receives. The *Journal assesses no page or publication charges*.

All manuscripts and books for review should be sent to the Editor, Wallace S. Brey, Department of Chemistry, University of Florida, Gainesville, Florida 32611.

## Arrangement of the Paper

If the paper is lengthy, it should be divided into sections, although it is preferred that the sections not be numbered. Tables are numbered consecutively with *Arabic* numerals and are to be mentioned in order in the text. Each table should be supplied with a title. Figures are also numbered consecutively with *Arabic* numerals and are mentioned in order in the text. Each regular article requires an abstract which should describe concisely the substantive content, the conclusions reached, and the contributions of the research described. Since the abstract may be used directly by Chemical Abstracts and other abstracting services, it must be self-contained, having no references to formulas, equations, or bibliographic citations which appear in the body of the manuscript.

Literature references are cited in numerical order in the text by *in-line, parenthesized, italic numerals*. References to "unpublished" or "to be published" work from the author's laboratory should not be given. However, dissertations may be cited, or papers actually accepted may be referred to as "in press" if the name of the journal is included.

Authors are urged to give careful thought to the logical construction of the manuscript, so that explanatory or parenthetical footnotes need not be employed—where possible, such material should be incorporated in the text. Any footnotes which are indispensable are not intermixed with references, but are indicated in the text by consecutive, superscript numerals, and each footnote will then appear in print at the bottom of the page on which it is cited. Equation numbers are given in *square* brackets to the right of the equation, and references in the text to equations should be in the form "Eq. [3]."

## Form of Manuscript

Manuscripts should be submitted in triplicate. The *original typewritten copy* should be supplied; mimeo, electrostatic, and similar process reproductions are not usually sufficiently clear. All of the typing must be *double-spaced*, including that of abstract, references, and footnotes, on one side of good quality paper approximately 22 × 28 cm (8.5 × 11 in.) in dimensions. The first line of each paragraph is indented.

Each page of the manuscript should be numbered. The first page contains the article title, the author's name, and affiliation. At the bottom of this page should appear any footnotes to the title (indicated by superscript \*, †, ‡); the number of manuscript pages, figures, and tables should also be noted. The second page should contain the abstract of 50–200 words and a proposed running head (abbreviated title) of less than 42 characters.

*Symbols and Abbreviations.* The American Chemical Society's Handbook for Authors, 1967 edition, or the Style Manual of the American Institute of Physics should be followed for standard abbreviations, names, and symbols for units. Mathematical equations or symbols must be typewritten whenever possible. Greek letters may be identified in pencil in the margin. The author of any manuscript in



which there are mathematical equations or symbols is urged to supply a list of these on a separate sheet for the assistance of the printer in selecting the proper type. The list will not appear in print.

*References and Footnotes.* References to the literature should be cited in order in the text by in-line, parenthesized numerals. The references themselves are to be typed double-spaced on a separate sheet in numerical order. Each reference contains the author's initials, last name, journal name, volume, initial page number, and year in parentheses, *in that order*. The name of the journal is abbreviated in the style of Chemical Abstracts' *Service Source Index* (1969 Edition). For book references, the form is author's name, name of the book in quotation marks, editor's name (if any), edition if other than the first, chapter or page number, publisher's name, place of publication, and year of publication.

Any footnotes which are included are numbered in a sequence separate from the references and must be typed in the manuscript on a separate page.

*Tables.* Tables should be laid out carefully, so that minimum space is used and entries are accurately grouped and clearly labeled. Usually, a table should be arranged vertically, with more rows than columns. Vertical lines are not used to separate the columns. Each table is numbered with an Arabic numeral, provided with a title, and typed on a separate sheet of paper. Footnotes to the table are placed directly below it and are indicated by superscript, lower-case, italic letters (<sup>a</sup>, <sup>b</sup>, <sup>c</sup>). Tables that are longer than two manuscript pages will be reproduced photographically, and should therefore be typed in the exact form desired. All such tables should be carefully checked since errors cannot be corrected in proof.

*Figures.* Figures must be carefully drawn in black, waterproof drawing ink, to draftsman's standards, with lettering by stencil or drawing machine. Freehand, penciled, or typewritten lettering is not acceptable. Lettering should include numerical scales and units required for the two axes, and should be large enough to be legible after reduction by 50–60%. The illustration copy should be on sheets of the same size as that on which the manuscript is typed. Smaller figures may be mounted on sheets of the required size, and larger originals may be handled by supplying glossy, high-contrast, photographic reductions. The original and two duplicates of each figure are required.

*Diagrams.* Ink drawings should be supplied for any complex molecular formulas or diagrams involving material which the printer cannot readily set in type.

*Proofs.* Galley proofs will be sent to the author with reprint order forms. Fifty reprints of each article will be supplied free of charge.